

MACHINERY LIST

Napkin Folders

Ref. #49

1 **HOBEMA** 14M-2 napkin folder, year 1987, double-lane, for napkin size 40 cm, with driven unwind stand, calendering unit, web aligner no. 1, 2-colour printing tower (with 2 printing units), hot-air dryer, web aligner no. 2, embossing station with one set of steel/steel embossing rollers (border embossing), 2 sets of folding cylinders for 40 cm, automatic transfer, production speed approx. 250 m/min, with SENNING 522 SE/P wrapping machine, speed approx. 50 packs / min., very good condition (ready for demonstration), immediately available

Ref. #276

1 **SERV-O-TEC** napkin folder model 802/660 S/4, double-lane, year 1998 for 1/4-folded napkins, with driven unwind stand, calendering unit, BST web aligner, 4-colour printing tower with 4 printing stations, infra-red drying system with two IR-cassettes (36 kW heating capacity), web stabilizing drum (with inside electrical heating), 2nd BST web aligner, 2-position embossing station with 2 sets of steel/paper embossing rollers for 33 x 33 cm border embossing and allover embossing, folding station with length slitter and two length folding plates, 1/4-folding cylinders for a size range of 30 – 42 cm, auto transfer, speed approx. 250 m/min., with 1 CASSOLI PAC340 wrapping machine (year 1999), speed approx. 40 packs/min., very good condition, still in production, immediately available

Ref. #296

1 **HOBEMA** napkin folder model 14C, for napkins of size 33 cm, with driven unwind stand, calendering unit, web aligner no. 1, 6-colour printing tower (with 6 printing units), hot-air dryer, BST video web inspection (model Super HandyScan), web aligner no. 2, embossing station with two sets of steel/paper embossing rollers (for border embossing 33 cm), length folding plates for standard and headfold, 2 sets of folding cylinders for 33 cm, production speed approx. 250 m/min, very good condition (continuously maintained), still in production, immediately available

Ref. #412

1 **PERINI ECHO** point-to-point embossing station for napkins, year 1993, working width 840 mm, stand-alone unit / separately driven, with dancing roller, new rubber roller and glue pump, very good condition, immediately available

Ref. #437

1 **SERV-O-TEC** napkin folder model servo-flex 904/660, year 1999, for 1/4-fold napkins, with 2 driven unwind stands, 2 calendaring units and 2 web aligners (one behind each unwind), 4-position embossing station with 4 sets of embossing rollers (border embossing for 33 cm napkins), 2 complete folding stations, each with length slitter, two length folding plates, one set of folding cylinders (size range of 23 – 33 cm / double-lane production each), automatic transfer, speed approx. 144.000 napkins / hour, as well as with 1 SENNING 522 SE/M/G2 napkin wrapper for single and double packs, good condition, immediately available

Ref. #438

1 **OMET / CPS** napkin folder model TV503 / CPS801, years 1994 / 2011, for napkins of size 33 cm, with driven unwind stand, calendaring unit, web aligner, embossing station with 1 set of embossing rollers (border embossing for size 33 cm), 2nd embossing station before folding station, folding cylinders for sizes 33 cm, automatic transfer, speed approx. 450 m/min., as well as with 1 CPS wrapper model CPS 801 (year 2011) with size parts for two different pack heights, speed approx. 45 packs / min. very good condition, immediately available

Ref. #457:

1 **GIEBELER** napkin folder model S284, year 1983, for 1/4- and 1/8-fold napkins in a size range of 25 - 40 cm, with driven unwind stand, web aligner, calendaring unit, 4-colour printing tower with 4 printing units, hot-air dryer, 3-position embossing station with 4 sets of steel/paper embossing rollers (border embossing for size 25, 33, and 40 cm, as well as all-over embossing), folding machine with length slitter, two folding stations with 1 set of 1/4- and 1/8-folding cylinders each (size range of 24 - 40 cm), manual transfer, speed approx. 25.000 napkins / hour / lane, as well as with 1 CASMATIC wrapper model CMF340 (year 2003), with all size parts for 2,5 – 16,5 cm height, single-and double-stacks, good condition, still installed, immediately available

Ref. #469

1 **MULTIPACK** napkin wrapper model G500, year 1999, equipped with size parts for 33 x 33 cm (1/4-fold, single- and double-packs), with infeed chain, automatic film feeding, print register control, standard perforation, speed approx. 20 packs / min., good condition, available upon request

Ref. #470

1 **HEINO ILSEMANN** napkin wrapper model NW-4, year 2010, equipped with size parts for 33 x 33 cm (1/4-fold, single- and double-packs), with infeed chain, automatic film feeding (suction belts), print register control, standard perforation, central lubrication, speed approx. 30 packs / min. (double-packs), very good condition, available upon request

Ref. #478

1 **PCMC** Super 8 napkin folder, year 1987, with 4 unwind stands, 4 web aligners, printing station with 4 printing units (1 color / lane), embossing station with 1 set of steel/steel embossing rollers (allover embossing), lengths slit and folding plates, folding cylinders (1/4-fold) for napkins of size 33 x 33 cm, automatic transfer, max. speed approx. 5.000 napkins / min., as well as with 1 **SENNING** 522SE/M/G2 wrapper for single- and double stacks, fair / good condition, immediately available

Ref. #490

1 **OMET / CASMATIC** napkin folder model TV503 / PAC340 TP2, years 2002 / 1999, for napkins of size 22 and 33 cm, with driven unwind stand, calendaring unit, web aligner, 2-colour printing station with two printing units (retrofitted by SPLINES / year 2015), 3-position embossing station with 3 sets of steel/steel embossing rollers (border embossing for size 22 and 33 cm, as well as border embossing), folding cylinders for sizes 22 and 33 cm, manual transfer, speed approx. 450 / 600 m/min. without and 350 m/min. with print, as well as with 1 CASMATIC wrapper model PAC340 TP2, with size parts for 3 different pack heights (total 3 - 10 cm), speed approx. 45 packs / min. very good condition, immediately available

Ref. #503

1 **ATON** napkin folder model LEO1917, year 1998, for napkins of size 17 x 17 cm ('ice-cream napkins'), with driven unwind stand, web aligner, 2-colour printing station with two printing units, embossing station with 1 set of steel/paper embossing rollers (border embossing), length slit for double-lane production, folding cylinders for size 17 cm, manual transfer, speed 150 m/min., as well as with 1 Rimopack/FISA wrapper model JF1, very good condition, immediately available

Ref. #478

1 **PCMC** Super 8 napkin folder, year 1987, with 4 unwind stands, 4 web aligners, printing station with 4 printing units (1 color / lane), embossing station with 1 set of steel/steel embossing rollers (allover embossing), lengths slit and folding plates, folding cylinders (1/4-fold) for napkins of size 33 x 33 cm, automatic transfer, max. speed approx. 5.000 napkins / min., as well as with 1 **SENNING** 522SE/M/G2 wrapper for single- and double stacks, fair / good condition, immediately available

Ref. #521

1 **BRETTING** Twin 4 napkin folder, year 1994, with 4 unwind stands, 4 web aligners, embossing station with 1 set of steel/steel embossing rollers (border embossing), folding station with lengths slitters and folding plates, folding cylinders (1/4-fold) for napkins of size 43 x 38 cm, speed 180 m/min. resp. 3.400 napkins / min., as well as with 1 BRETTING single bander (250 napkins / pack), very good condition, immediately available

Ref. #522

1 **BRETTING** Twin 4 napkin folder, year 1994, with 4 unwind stands, 4 web aligners, embossing station with 1 set of steel/steel embossing rollers (border embossing), folding station with lengths slitters and folding plates, folding cylinders (offset 1/4-fold, size range 30 – 33 cm), presently set for dispenser / offset-folded napkins of size 30 cm, speed 170 m/min. resp. 4.400 napkins / min., as well as with 1 BRETTING single bander (344 napkins / pack), very good condition, immediately available

Ref. #523

1 **BRETTING** Twin 8 napkin folder, year 1995, with 4 unwind stands, 4 web aligners, embossing station with 1 set of steel/steel embossing rollers (allover embossing), folding station with lengths slitters and folding plates, folding cylinders (1/4-fold) for napkins of size 33 cm, speed 190 m/min. resp. 9.000 napkins / min., as well as with 1 BRETTING dual bander (344 and 500 napkins / pack), very good condition, immediately available

Ref. #524

1 **BRETTING** Twin 4 napkin folder, year 1997, with 4 unwind stands, 4 web aligners, embossing station with 1 set of steel/steel embossing rollers (border embossing), folding station with lengths slitters and folding plates, folding cylinders (1/4-fold), presently set for dispenser / offset-folded napkins of size 43 x 33 cm, separator transfer, speed 180 m/min. resp. 4.800 napkins / min., as well as with 1 BRETTING single bander (500 and 670 napkins / pack), very good condition, immediately available

Ref. #525

1 **BRETTING** napkin folder, year 1995, with 3 unwind stands, 3 web aligners, embossing station with 2 sets of steel/steel embossing rollers (border and allover embossing), folding station with lengths slitters and folding plates, folding cylinders (1/4-fold), presently set for dispenser / offset-folded napkins of size 38 x 30 cm, speed 160 m/min. resp. 3.000 napkins / min., as well as with 1 SENNING wrapper model 522 SE/M/G" (single and double stacks, speed 50 packs / min) and SALWASSER case packer model R-101, very good condition, immediately available

Ref. #526

1 **BRETTING** napkin folder model AH21, year 2000, with 1 unwind stands / working width 2.650 mm, web aligner, 3-position embossing station with 1 set of steel/steel embossing rollers (allover embossing) and 1 set of steel/paper embossing rollers (allover embossing), folding station with lengths slitters and folding plates, folding cylinders (1/4-fold) with auto transfer / bulk pack, presently set for dispenser / offset-folded napkins of size 33 x 30 cm, speed 180 m/min. resp. 4.800 napkins / min., as well as with built-in BRETTING paper wrapper (speed 10 packs / min.), very good condition, immediately available

Ref. #527

1 **BRETTING** napkin folder model Twin 4, year 1994, size range 28 – 33 cm (presently set to 30 cm), with 4 unwind stands, 4 web aligners, 2-position embossing station with 2 sets of steel/steel embossing rollers (allover embossing / 1x high bulk / 1x low bulk), folding station with lengths slitters and folding plates, folding cylinders (1/4-fold, presently set napkins of size 30 x 30 cm), auto transfer / small stacks, speed 190 m/min. resp. 5.000 napkins / min., as well as with 1 HAYSSEN wrapper model 5000OEC (year 1994, speed 12 packs / min.), very good condition, immediately available

Handkerchief Machines

Ref. #405

1 **WINKLER + DÜNNEBIER / SENNING** handkerchief line for standard hankies of size 210 x 216 mm, year 1989, consisting of 1 W+D folding machine model 622, 2-lanes, 1 SENNING 525A/SO wrapping machine (with COLLAMAT NG50XR labeler), as well as with SENNING 507H-50 bundler (year 1991, various packing configurations), folding machine with driven unwind stand, BST web aligner, calendaring unit, SAUERESSIG embossing station (year 2009) with one set of steel/steel embossing rollers (top-to-flat, border embossing), length slit, 2 length folding plates, folding cylinders, automatic transfer to the wrapping equipment, production speed of line 220 packs / min., very good condition, many spare parts, still installed (ready for demonstration), immediately available

Ref. #485

1 **WINKLER + DÜNNEBIER / SENNING** handkerchief line for standard and mini hankies and of size 210 x 210 mm, **year 2012**, consisting of 1 W+D folding machine model 622.03, 2-lanes, 1 SENNING wrapping machine model 525A-100.1 (format parts for 2-, 3, and 4-ply hankies), including labeler model DPSII.1, as well as with SENNING bundler model 522TG (pack configurations 15 - 18 - 24 - 36 - 48 packs / bundle), production speed of line max. 4.500 hankies / 400 packs / 45 bundles per minute, very good condition, still in production, immediately available

Toilet and Kitchen Roll Rewinders

Ref. #239

1 **PERINI** toilet and kitchen roll rewriter line model Simplex, year 1993, working width 2.520 mm, with 2 unwind stands model 48.10, 1 embossing station for micro embossing model 470C, 1 embossing station for DESL embossing model 49.01, rewriter model Simplex 68.81, tail sealer model 560C, accumulator model 511 for 180 logs, log loader, 2 log saws model 140 with Trimex 51.01, production speed of the line 500 m/min. resp. 30 logs / min., with CASMATIC wrapper model CMW 42EV (year 2000, speed 110 packs / min.) and 2 WRAPMATIC bundlers model BFA25, as well as with core winder PERINI 211 incl. core loader, very good condition, immediately available

Ref. #240

1 **PERINI** toilet and kitchen roll rewinder line model Simplex, year 1993, working width 2.520 mm, with 2 unwind stands model 48.10 resp. 48.11, 1 embossing station for DESL embossing model 89.10, rewinder model Simplex 68.81, tail sealer model 560C, accumulator model 511 for 180 logs, log loader, 2 log saws model 164E with Trimex 174E, production speed of the line 500 m/min. resp. 30 logs / min., with CASMATIC wrapper model CMW 42EV (year 2000, speed 110 packs / min.) and 1 WRAPMATIC PW30, furthermore with 2 CASMATIC bundlers model Super H (year 2000) and 1 core winder PERINI 211 incl. core loader, very good condition, immediately available

Ref. #247

1 **TMC** bundler model FBS200, year 1999 (updated on a regular basis), for infeed pack size 350 – 850 mm width and 360 – 850 mm length, max. film reel width 2.400 mm, automatic product infeed, production speed up to 14 bundles / min. (depending on the configuration and dimension of the pack) very good condition, immediately available

Ref. #279

1 **PERINI** toilet and kitchen roll rewinder line model Alfetta, year 1987, working width 2.650 mm, with 2 unwind stands model 48.10 and 48.11, 1 embossing station for P/P embossing / lamination model 49.01 Speciale (year 1997), rewinder model 68.40 Alfetta, tail sealer model 560C, accumulator model 511, for 250 logs, log loader model 613, log saw model 163E (with Trimex model 106E), furthermore with core winder model 211 and core supply model 622, production speed of the line 600 m/min. without lamination / 450 m/min. with lamination, resp. 25 logs / min., with 1 WRAPMATIC wrapper model MW42 (year 1998) and 1 WRAPMATIC wrapper PW30, as well as with 1 CASMATIC bundler and 1 OCME palletizer, in storage, immediately available

Ref. #325

1 **AMOTEK** bag filler model PB142-BR, year 1999, with four lane infeed, for packing both 'horizontal' and 'vertical' rolls (upender), grouping station, roll pushing system, automatic bag opening and feeding, sealing station, film waste collection, outfeed belt, presently equipped for 4-6-8-10-12 toilet rolls / pack, production speed approx. 40 bags / min., very good condition, immediately available

Ref. #339

1 **SCHNEIDER** horizontal case packer model HCP-4V1P, year 2011, box sizes min. 46 x 25 x 32 cm, max. 76 x 51 x 56 cm, 5-lane infeed, automatic product stacking, collating, and loading station, speed 11 boxes / minute, excellent condition, immediately available

Ref. #340

1 **PERINI** toilet and kitchen roll rewriter line model Delta, year 1989, working width 2.700 mm, with 2 unwind stands, 1 point/point embossing / lamination station model 49.20, 1 printing station model 63.72, rewriter Delta 78.30 for logs of 90 – 140 mm diam., tail sealer model 65.30, accumulator model 513 for 170 logs, 2-lane log saw model 164E incl. Trimex (year 1996), speed 450 m/min. resp. 25 logs / min., with 1 CASSOLI PAC602-R and 1 CASSOLI PAC110 wrapper, 1 CASSOLI MAC50 handle applicator, 1 CASSOLI IN/5D bundler, as well as with 1 core winder model 200, very good condition, still in production, immediately available

Ref. #382

1 **CASMATIC** bundler model CMB200, year 1999, infeed pack size length 200 - 800 mm, width 330 – 850 mm, height 190 – 345 mm, with automatic product infeed, collecting and sorting unit, unwind stand for film, wrapping unit, outfeed belt, production speed 16 bundles / min. (depending on the configuration and dimension of the pack), very good condition, immediately available

Ref. #401

1 **PERINI** toilet and kitchen roll rewriter line model Alfaflex, year 1992, working width 3.400 mm, with 2 unwind stands model 48.11, 1 embossing / lamination station model 482C, rewriter model Alfaflex 68.10, 2 tail sealers model 65.30, 2 accumulators model 510, 2 log loaders model 613, 2 log saws model 160 (with Trimex model 51.01), furthermore with 1 core winder model 211, production speed 700 m/min. resp. 35 logs / min., with 1 WRAPMATIC wrapper model PW30, 2 WRAPMATIC wrappers model MW10, 1 WRAPMATIC wrapper model MW30, 2 CASMATIC bundlers model IN5/Super, as well as with 2 OCME palletizer model 24-P115 and 1 PIERI stretcher model AVR101 PEA, very good condition, immediately available

Ref. #402

1 **PERINI** toilet and kitchen roll rewriter line model Alfetta, year 1990, working width 1.800 mm, with 2 unwind stands model 12.13, 1 DERL double embossing / lamination station model 89.03 (year 2004), rewriter model Alfetta for log diam. 90 – 140 mm (with integrated edge embosser, year 1995), tail sealer model 65.40 (28 logs / min.), 1 accumulator model 510 (for 250 logs), log loader model 613, 1 log saw model 130 (with Trimex model 51.01), furthermore with 1 core winder model 211 (2 unwind stands), production speed of the line 350 m/min. resp. 28 logs / min., with 1 HAYSSSEN bag filler model HCN40/85, very good condition, immediately available

Ref. #414

1 **PERINI** toilet and kitchen roll rewriter model Sincro 4.0, working width 2.700 mm, year 2002, with 2 PERINI unwind stands model 350B, 1 PERINI printing station model 900, PERINI embosser / laminator model 431G, PERINI Sincro 4.0 rewriter for logs of 90 - 140 mm, PERINI tail sealer model 65.50, PERINI accumulator for 180 logs, 4-lane log saw PERINI model 176E, speed 400 m/min. resp. 22 logs / min., as well as with core winder, furthermore with 1 TMC wrapper model Qualywrap 1800 and 1 TMC bundler model Qualyflex FBS200, very good condition, still in production, available upon request

Ref. #436

1 **CONSANI** toilet and kitchen roll rewriter model Gemini 500, year 1998 (refurbished in 2016 incl. touch screen panel, automatic adjustment of log diam. and perforation, log density etc.), working width 2.700 mm, with 1 unwind stand, 1 IDEA embosser / laminator, 1 MTC Micro/Macro embossing station incl. ply-bonding / edge embossing (54 knurling rollers), CONSANI Gemini 500 rewriter for logs of 92 - 152 mm, CONSANI tail sealer (refurbished / new PLC in 2010), accumulator for 380 logs, PERINI 3-lane log saw 163E incl. Trimex, production speed 500 m/min. resp. 28 logs / min., as well as with CONSANI core winder (3 unwind stands), furthermore with 1 CASMATIC diverter model DR3, many embossing rollers and spare parts, very good condition, immediately available

Ref. #440

1 **PERINI** toilet and kitchen roll rewriter model Sincro 4.0, working width 2.700 mm, year 2000, with 2 unwind stands, PERINI embosser / laminator model 49.01 (point-to-point), PERINI Sincro 4.0 rewriter for logs of 90 - 140 mm, tail sealer, PERINI accumulator for 450 logs, 2-lane log saw PERINI model 160, speed 400 m/min. resp. 22 logs / min., furthermore with CASMATIC CMW424 wrapper, good condition, still in production, immediately available

Ref. #464

1 **RONCO** toilet roll rewriter, working width 2.690 mm, with 1 unwind stand, double embossing station with steel/rubber embossing rollers, start/stop rewriter for logs of 90 - 135 mm, accumulator for 16 logs, max. speed 350 mm, furthermore with 2-lane RONCO log saw (speed 60 cuts / min.), good condition, still in production, immediately available

Ref. #465

1 **PERINI** toilet and kitchen roll rewinder line model X3, year 2006, working width 2.800 mm (embossing rollers are 2.650 mm wide), with 3 unwind stands, 1 embossing / lamination station (nested embossing), 1 additional embossing station on top of the rewinder (with 1 set of steel/paper embossing rollers), edge embossing (knurling rollers), rewinder model X3 for log diam. 90 – 160 mm, built-in tail sealer, log accumulator with 50 buckets, log unloading system, 2-lane log saw, speed of line 200 m/min. resp. 15 logs / min., immediately available

Ref. #473

1 **PERINI** kitchen roll line model BRAVO, working width 2.650 mm, with 2 unwind stands model 48.11 (year 2002), PCMC 4-colour printing station, 1 PCMC double embossing station incl. lamination for DESL embossing, 1 PERINI P/P embosser model 49.01, rewinder PERINI Bravo (fully refurbished / servo motor for rider roll), PERINI tail sealer model 560 (year 2002), ROLCO log accumulator and distributor, 2 PCMC log saws, speed approx. 300 m / min, furthermore with PCMC core maker (year 2006), upon request with CASMATICW42 wrapper and BFA25 bundler, good condition, still in production, immediately available

Ref. #476

1 **PCMC** toilet and kitchen roll rewinder line model Quantum, year 1998 / 2001, working width 2.700 mm, with 2 unwind stands, 2-colour printing station (equipped with 1 printing unit), 1 standard steel/rubber embossing station, 1 DESL embossing station, rewinder (log diam. 95 – 150 mm), PERINI tail sealer model 570E (year 2006), 2-lane log saw, 1 core winder model (2 unwind stands) incl. core loader, furthermore with 1 CASMATIC wrapper model CMW42EV and 1 CASMATIC bundler model CMB150 CPTV.2 (both year 2001), speed approx. 450 m/min resp. 30 logs / min., very good condition, immediately available

Ref. #497

1 **LAWTON** single roll wrapper model CAL100 ('twist 'n tuck'), with single rolls infeed conveyor, unwinds stand for roll of up to 76 cm, rotary knife section with suction belts, rubber cups for single rolls, production speed approx. 70 rolls/min., good condition, immediately available

Ref. #501

1 **MTORRES** toilet and kitchen roll rewinder model SRT-V26, year 2017, working width 2.650 mm, with 2 unwind stands (max. roll diam. 2.500 mm), 1 embosser / laminator (DESL / Deco embossing), rewinder for logs of 90 - 220 mm, tail sealer, accumulator for 175 logs, 4-lane log saw (blade diam. 1.000 mm), speed approx. 550 m/min. as well as with core winder (3 unwind stands), excellent condition, still in production, available in October 2020

Ref. #509

1 **PCMC** toilet roll rewinder line model Sintesi 65.0, year 2006, working width 2.750 mm, with 2 unwind stand models BS2502 for max. reel diam. of 2.500 mm, core conveyor / chain elevator model 931A, rewinder model Sintesi 65.0 (log diam. 90 – 160 mm, 45 logs / min.) with 54 knurling rollers for ply-bonding, tail-sealer model Rotoseal 35 for log diam. 90 – 150 mm (speed 25 logs / min.), log accumulator model A300 with 300 buckets, unloading system to 4-lane log saw model Tetra (200 cuts / min.), speed of line 650 m/min., still in production, very good condition, immediately available

Ref. #511

1 **CASMATIC** bundler model CMB202, year 2007, bundle widths from 330 – 850 mm, length from 200 - 800 mm, height from 195 – 400 mm, with Casmatic CMD1H5 diverter, 2 infeed sections (1 for single rolls of toilet tissue and 1 for multiple packs of toilet and kitchen rolls), change parts for 12 and 15 kitchen rolls and 20 and 36 toilet rolls, collecting and sorting unit, unwind stand for film, wrapping unit, outfeed belt, speed up to 20 bundles / min., excellent condition, still installed, immediately available

Ref. #514

1 **PERINI** toilet roll rewinder line model Sincro 4.5, year 1994, working width 2.650 mm, with 2 unwind stand models 241/02, PERINI embossing / lamination station model 490F (year 2000, max. speed 600 m/min.), PERINI ply-bonding model 1035, rewinder model Sincro 4.5 (log diam. 90 – 140 mm, 45 logs / min.), GAMBINI tail-sealer model 60.30 (speed 35 logs / min.), 2 CONSANI log accumulators model AC160 with 450 resp. 150 buckets, 2 PERINI log saws model 164E (year 1995, 160 cuts / min.), as well as with PERINI core maker model 210, speed of line 450 m/min., good condition, immediately available

Ref. #516

1 **PERINI** toilet and kitchen roll rewinder model Sincro 5.5, working width 2.750 mm, year 1996, with 2 CONSANI unwind stands model 360A, 1 PERINI printing station for 2-color printing, PERINI P/P embosser / laminator model, PERINI Sincro 5.5 rewinder for logs of 90 - 140 mm, PERINI tail sealer model 5670C, PERINI accumulator, 2-lane log saw PERINI model 175E with vacuum Trimex (100 cuts / min.), speed 350 m/min. resp. 20 logs / min., as well as with VTP diverter model 1500, SALWASSER case packer model EPG1-6, upon request with ITALCONVERTING core maker model C-801, still in production, immediately available

Ref. #517

1 **PERINI** kitchen roll rewinder model Alfina 68.50, working width 2.750 mm, year 1993, with 2 ITALCONVERTING unwind stands model BS1801, 1 PERINI printing station for 2-color printing, PERINI P/P embosser / laminator model, PERINI Alfina rewinder, PERINI tail sealer model 570C (year 2000), PERINI accumulator, 2-lane log saw PERINI model 164 with vacuum Trimex (100 cuts / min.), speed 350 m/min. resp. 35 logs / min., as well as with VTP diverter model 1500, HAYSSEN wrapper model UltraFlow UF125 (3 infeed lanes), HAYSSEN wrapper model EPS-130 3D / UltraFlow 130, CASMATIC bindler model CMB200, SALWASSER case packer model R406, upon request with ITALCONVERTING core maker model C-801, still in production, immediately available

Industrial Roll Rewinders

Ref. #408

1 **CONSANI** industrial roll rewinder, year 1990, working width 2.700 mm, with 1 unwind stand, 1 embossing station with steel/rubber embossing rollers, 1 UNITED CONVERTING embossing / lamination unit (retrofitted in 2013), edge embossing (ply-bonding by means of knurling rollers), rewinder for log diam. 110 - 350 mm, roll-down table, speed approx. 350 m/min., good condition, immediately available

Ref. #462

1 **BAOSUO** industrial roll rewinder model YD-C 1575, year 2011, working width 2.750 mm, with 2 unwind stands, embossing station with steel/rubber embossing rollers, built-in slitters for bigger log diameters, start/stop rewinder for log diam. 90 - 300 mm, furthermore with band saw for log diam. 127 – 254 mm (year 2019), production speed 180 m/min., good condition, immediately available

Ref. #481

1 **PERINI** industrial roll rewinder model Rodumat, working width 2.100 mm, with 3 unwind stands (separately driven, max. reel diam. 2.400 mm), 1 rubber/steel embossing station, edge embossing (knurling rollers) and perforation station, core infeed, automatic rewinder model Rodumat for logs of 200 - 400 mm diam, built-in length slitters, tail-sealer, speed max. 800 m/min., as well as with B&B MAF wrapper model SBP6-130 (**year 2014!**) incl. shrink tunnel, very good condition, still in production, available in May / June 2020

Ref. #482

1 **PERINI** industrial roll rewinder model Rodumat, year 1987, working width 1.800 mm, with 3 unwind stands (max. reel diam. 2.200 mm), 1 rubber/steel embossing station, core infeed, start-stop rewinder model Rodumat for log diam. 200 - 400 mm, built-in length slitters, tail-sealer, speed max. 800 m/min., as well as with CASSOLI wrapper model IN/4A RS and B&B MAF shrink tunnel, furthermore with EBERLÉ core winder (with 3 unwind stands), very good condition, still in production, available in May / June 2020

Ref. #512

1 **ITALCONVERTING** (PCMC) industrial log saw model LS32i, with universal clamps for log diam. 140 – 305 mm, blade diam. 1.000 mm, trim removal, infeed conveyor for max. 3.000 mm log length, speed approx. 60 strokes / min. (depending on log diameter and density), good condition, immediately available

Ref. #518

1 **PCMC** rewinder line for hardwound towels model 200, year 1991, working width 2.050 mm, with 1 unwind stand, 1 steel/steel embossing station, edge embossing (knurling rollers) and perforation station, core infeed, rewinder model 200 (servo-driven, speed max. 600 m/min.), built-in tail-sealer, 1 ITALCONVERTING industrial log saw model LS-32i, furthermore with SALWASSER case packer model EPG1-4 and SALWASSER, very good condition, still in production, immediately available

Handtowel Machines

Ref. #305

1 **MTC** MTF1000 handtowel interfolder for Z-fold handtowels, year 1997 (new electronics in 2012), 1.320 mm working width, with driven unwind stand, embossing / laminating station with two sets of steel/rubber embossing rollers (for DERL embossing), 1-color printing station, automatic interfolder model MTF 1000 (230 mm cut-off), max. speed 150 m/min., automatic delivery to 1 CONVERPACK banding machine (film) model ICKP 1400 (year 2005), 1 automatic CONVERPACK 1-lane log saw with electronic cut-off adjustment (year 2005), 1 MACDUE case packer model MD2010 (year 2013), furthermore with 1 FERPLAST stretcher, immediately available

Ref. #400

1 **MTC** model ITF 5000 automatic production and packaging line for V-fold handtowels, year 2005, folding machine mainly consisting of 2 unwind stands for 2.940 wide mm parent reels, 1 embossing station, 90° deflection incl. length cutter, ITF 5000 interfolder (working width 1.470 mm, cut-off 206 mm), furthermore with banding station model FPB10, log saw model FLS 120, as well as with MICROLINE case packer model ROM800, speed max. 180 m/min. resp. 8 logs / min., very good condition, still in production, available upon agreement

Ref. #471

1 **GEVAS** bag filler model Citomat, with one-lane infeed, overhaed product pushers, product arrangement station, bag magazin, automatic bag opening and filling station, impulse sealing, film waste absorption, currently set for 2 banded clips of handtowels, production speed approx. 30 bags / min., very good condition (still installed and ready for demonstration), immediately available

Ref. #479:

1 **HOBEMA** C-fold handtowel line model 20E-9, year 1989, presently laid out for 7-lane production of handtowels in a size of 258 x 230 mm, max. parent reel width 2.200 mm (currently 1.600 mm), with 1 unwind stand model 140A, embossing station model 74 with 1 set of steel/rubber embossing rollers, 6 length slitters, folding station with 7 C-folding plates, cutting station (size range 230 - 250 mm, set to 230 mm) with rotating upper knife and fixed lower knife, automatic transfer model 24E-1, as well as with CASSOLI poly sleeve wrapper and CERMEX case packer, very good condition, immediately available

Ref. #480:

1 **HOBEMA** C-fold handtowel line model 20E-5, year 1989, laid out for 5-lane production of handtowels in a size of 310 x 230 mm, max. parent reel width 1.600 mm, with 1 unwind stand model 140A, 4 length slitters, folding station with 5 C-folding plates, cutting station (size range 230 - 250 mm, set to 230 mm) with rotating upper knife and fixed lower knife, automatic transfer model 24E-1, as well as with SENNING paper sleeve wrapper (can be used for poly sleeves as well) and CERMEX case packer, very good condition, immediately available

Ref. #519:

1 **BRETTING** Multi-Fold Towel line, year 1997, working width 2.080 mm, presently set for the production of handtowels of 230 x 230 mm, with 1 unwind stand, embossing station with 1 set of steel/steel embossing rollers, Multi-Fold folding station, log saw for 230 mm cut-off, as well as with paper wrapper, SCHNEIDER case packer model HCP-3VIP, speed 150 m/min., very good condition, immediately available

Ref. #520:

1 **BRETTING** C-Fold Towel line, year 1992, working width 1.980 mm, laid out for 6-lane production of handtowels 260 x 330 mm (cut-off x length slitter setting), with 1 unwind stand, embossing station with 1 set of steel/steel embossing rollers, length slitters, folding station, speed 390 m/min. resp. 9.000 towels / min., as well as with SENNING paper bander model 522SE/M/U (year 1994), speed 60 cycles / min., SALWASSER R-101 case packer, very good condition, immediately available

Facial Tissue Machines

Ref. #140:

1 **BRETTING** V-fold facial tissue for 'mansize' / extra large facial tissues or dry baby wipes line, year 1994, max. working width 2.700 mm, for tissues of size 270 x 230 mm (cut-off x width, 7-lane production) resp. 270 x 307 mm / 5-lane production, with 4 driven unwind stands for max. 1.676 mm reel width and 2.134 mm reel diam., dual calendaring / ply-bonding station, interfolding station, automatic counting, stacking, separation and transfer station, gang-saw for 5- or 7-lane production, production speed approx. 120 m /min resp 7 logs / min., sheet count 76 – 300 tissues / 39 – 140 mm, as well as with LANGENPAC (MPAC Langen) cartoner model B1, 7-lane loader, production speed approx. 55 boxes / min., furthermore width FOCKE case packer model 446 (various case configurations), speed approx. 14 cases / min., very good condition, immediately available

Ref. #375

1 **W+D** 4-lane facial tissue interfolder model 619.00, year 1998, 840 mm working width, cut-off length 210 mm, with 2 turret-type unwind stands, steel/steel embossing station for quick web splicing during reel change, 2 calendaring units, ply-bonding (8 knurling rollers), 3 length slitters for each web, interfolder (V-fold, clean-cut), automatic transfer, max. output 6.400 sheets / minutes, with 1 CAM / OAM cartoner model HMM, speed 60 boxes / min., as well as with 1 CAM / SM case packer model SM80 20/S (year 1999), very good condition, immediately available

Ref. #495

1 **DCM** EPOCHIEF facial tissue interfolder for V-folded products, year 2003, cut-off length 210 mm, with 2 unwind stands, ply-bonding (knurling rollers), length slitters, interfolder (V-fold, clean-cut), manual transfer, speed 80 m/min., very good condition, immediately available (upon request with HARRO HÖFLIGER cartoner as per ref. #496)

Ref. #496:

1 **HARRO HÖFLIGER** facial tissue cartoner model BK40-9, year 1989, for cartons of 20 - 100 mm height / 50 - 190 mm depth / 150 - 300 mm length, with 2 infeed belts (one from the operator's side and one from the driving side), bucket conveyors, extended carton magazine, automatic carton erection, automatic product compression and loading, automatic box closing incl. NORDSON hotmelt unit, carton outfeed belt, speed up to 60 cartons / min., very good condition, upon request with DCM interfolder as per ref. #495)

Miscellaneous

Ref. #162

1 **KFA** coaster machine, overhauled, for 2 color-printing, for max. web width 225 mm, max. printing size 280 x 225 mm / 1-colour resp. 140 x 225 / 2-colours, frequency-controlled main drive motor, speed approx. 60 x 2 wide per minute, many tools and spare parts, very good condition, ready for production, immediately available

Ref. #311

1 4-lane **SERV-O-TEC** folding machine model servo-flex 804/660, year 1997, for 1/4-fold sheets in a size range of 16 - 22 cm (V- and Z-fold), with driven unwind stand, web aligner, calendaring unit, embossing station (without rollers), folding station with 3 lengths slitters, V- and Z-fold length folding plates, turning station for products without length-fold, folding cylinders in a size range of 16 - 22 cm, automatic transfer and delivery chain, speed approx. 35.000 sheets / hour resp. 40 packs / min. (whatever is reached first), very good condition, immediately available

Ref. #423

1 **RESEARCH AB** table-cloth machine model F1600, working width 1.600 mm, year 1998, for web widths of 600 - 1.600 mm, cut-off lengths 400 - 2.200 mm, with unwind stand incl. reel lifter and web tension control, length folding stations for V, N, M, and MV-fold, 2 cross-folding sections, count and stacking unit, exit conveyor, very good condition, still in production, immediately available